

Report No.: HXO0026/2022

Page: of 74

February 2, 2023 Date:

HP INC. 10F-1, NO.66, JINGMAO 2ND ROAD, NANGANG DISTRICT, TAIPEI CITY, TAIWAN

The following merchandise was submitted and identified by the vendor as:

Notebook - Commercial Product Description:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X1

A5CD24161XK, A5CD24161X8, A5CD24161XH, A5CD24161XM, A5CD24161XN, A5CD24161WZ, A5CD24161XF, A5CD24161X7, A5CD24161XJ, A5CD24161XD, A5CD24161X6, A5CD24161X5,

A5CD24161X9

Manufacturer/ Vendor: HP Inc. Country of Origin: China Quantity: Testing Period: Total 14 sets

Nov. 1, 2022 to Dec. 26, 2022

We have tested the submitted sample(s) as requested and the following results were obtained: Test Required:

1. Transit Drop Test (MIL-STD-810H:2019, Method 516.8, Procedure IV)

- 2. Functional Shock Test (MIL-STD-810H:2019, Method 516.8, Procedure I)
- 3. Vibration Test -I (MIL-STD-810H:2019, Method 514.8, Procedure I, Table 514.8C-I)
- 4. Vibration Test -II (MIL-STD-810H:2019, Method 514.8, Procedure II, Figure 514.8C-8)
- 5. Vibration Test -III (MIL-STD-810H:2019, Method 514.8, Procedure I, Figure 514.8E-1)
- 6. Blowing Dust Test (MIL-STD-810H:2019, Method 510.7, Procedure I)
- 7. Humidity Test (MIL-STD-810H:2019, Method 507.6, Procedure II Aggravated Cycle)
- 8. Non-Operating Altitude Test (MIL-STD-810H:2019, Method 500.6, Procedure I)
- 9. Operating Altitude Test (MIL-STD-810H:2019, Method 500.6, Procedure II)
- 10.Non-Operating High Temperature Test (MIL-STD-810H:2019, Method 501.7, Procedure I)
- 11. Operating High Temperature Test (MIL-STD-810H:2019, Method 501.7, Procedure II Operation) 12. Non-Operating Low Temperature Test (MIL-STD-810H:2019, Method 502.7, Procedure I Storage)
- 13. Operating Low Temperature Test (MIL-STD-810H:2019, Method 502.7, Procedure II Operation)

- 14. Thermal Shock Test (MIL-STD-810H:2019, Method 503.7, Procedure I-C)
 15. Blowing Sand Test (MIL-STD-810H:2019, Method 510.7, Procedure II)
 16. Freeze/ Thaw Test (MIL-STD-810H:2019, Method 524.1, Procedure III)
 17. Bench Handling Shock Test (MIL-STD-810H:2019, Method 516.8, Procedure VI)
 18. Crash Hazard Shock Test (MIL-STD-810H:2019, Method 516.8, Procedure V)
- 19. Transportation Shock Test (MIL-STD-810H:2019, Method 516.8, Procedure II, Table 516.8-VII)

Test Results: - PLEASE SEE ATTACHED SHEETS -

> Signed for and on behalf of SGS TAIWAN Ltd.

Sandra Chen Team Leader-PM

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sus.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sus.com/tw/Terms-and-Conditions and, for electronic format document is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HXO0026/2022

Page: 2 of 74

Test Summary:

Test Item	Test method	Test result
Transit Drop Test	MIL-STD-810H:2019, Method 516.8, Procedure IV	PASS
Functional Shock Test	MIL-STD-810H:2019, Method 516.8, Procedure I	PASS
Vibration Test -I	MIL-STD-810H:2019, Method 514.8, Procedure I, Table 514.8C-I	PASS
Vibration Test -II	MIL-STD-810H:2019, Method 514.8, Procedure II, Figure 514.8C-8	PASS
Vibration Test -III	MIL-STD-810H:2019, Method 514.8, Procedure I, Figure 514.8E-1	PASS
Blowing Dust Test	MIL-STD-810H:2019, Method 510.7, Procedure I	PASS
Humidity Test	MIL-STD-810H:2019, Method 507.6, Procedure II - Aggravated Cycle	PASS
Non-Operating Altitude Test	MIL-STD-810H:2019, Method 500.6, Procedure I	PASS
Operating Altitude Test	MIL-STD-810H:2019, Method 500.6, Procedure II	PASS
Non-Operating High Temperature Test	MIL-STD-810H:2019, Method 501.7, Procedure I, Table 501.7-III. High temperature cycles, climatic category A1 – Induced	PASS
Operating High Temperature Test	MIL-STD-810H:2019, Method 501.7, Procedure II – Operation	PASS
Non- Operating Low Temperature Test	MIL-STD-810H:2019, Method 502.7, Procedure I – Storage	PASS
Operating Low Temperature Test	MIL-STD-810H:2019, Method 502.7, Procedure II – Operation	PASS
Thermal Shock Test	MIL-STD-810H:2019, Method 503.7, Procedure I-C	PASS
Blowing Sand Test	MIL-STD-810H:2019, Method 510.7, Procedure II	PASS
Freeze/ Thaw Test	MIL-STD-810H:2019, Method 524.1, Procedure III	PASS
Bench Handling Shock Test	MIL-STD-810H:2019, Method 516.8, Procedure VI	PASS
Crash Hazard Shock Test	MIL-STD-810H:2019, Method 516.8, Procedure V	PASS
Transportation Shock Test	MIL-STD-810H:2019, Method 516.8, Procedure II, Table 516.8-VII	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: 3 of 74

Test Photos:



1. Appearance of specimen 2. Appearance of specimen



3. Appearance of specimen

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/ 新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: of 74

1. Transit Drop Test:

Test Equipment:

Name	Brand	Model	Serial No.
Drop Tester	Vibration Source	VS-1018	0C03

Lab Environmental Conditions:

Ambient temperature: $(25 \pm 3) \, ^{\circ}$ C

Ambient humidity: $(55 \pm 20) \% RH$

No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District, Test Location:

New Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 516.8, Procedure IV and client's request

Sample Condition: Non-Operating

Drop height: 30 inch

8 corners, 12 edges and 6 faces (total 26 drops) Drop sequence:

Test surface: 2 inches of plywood

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HXO0026/2022

Page: of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XJ

Quantity: Total 5 sets

Test Result:

Style/ Item No.	Check item	Appearance Check (Visual check)	Functional Check
	Side 1	No visible damage	Normal
IID Day Day by 440 14 to al. C10	Edge 1	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	Edge 2	No visible damage	Normal
	Corner 1	No visible damage	Normal
	Corner 2	No visible damage	Normal
	Side 2	No visible damage	Normal
IID Due De als 440 14 in als C10	Side 3	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9	Edge 3	No visible damage	Normal
Notebook PC/ ASCD24161X9	Edge 4	No visible damage	Normal
	Corner 3	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan



Report No.: HXO0026/2022

Page: 6 of 74

Test Result--Continued:

	Check item	Appearance Check (Visual check)	Functional Check	
Style/ Item No. Drop sequence				
	Side 4	No visible damage	Normal	
HP ProBook 440 14 inch G10	Edge 5	No visible damage	Normal	
Notebook PC / A5CD24161X5	Edge 6	No visible damage	Normal	
NOTEDUOK PC / A5CD24101A5	Edge 7	No visible damage	Normal	
	Corner 4	No visible damage	Normal	
	Side 5	No visible damage	Normal	
HP ProBook 440 14 inch G10	Edge 8	No visible damage	Normal	
Notebook PC/ A5CD24161X8	Edge 9	No visible damage	Normal	
THUICHUUK F C/ A3CD24101A8	Corner 5	No visible damage	Normal	
	Corner 6	No visible damage	Normal	
	Side 6	No visible damage	Normal	
	Edge 10	No visible damage	Normal	
HP ProBook 440 14 inch G10	Edge 11	No visible damage	Normal	
Notebook PC/ A5CD24161XJ	Edge 12	No visible damage	Normal	
	Corner 7	No visible damage	Normal	
	Corner 8	No visible damage	Normal	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan



Report No.: HXO0026/2022

Page: 7 of 74

Test Photos:



1. Transit Drop Test: Side



2. Transit Drop Test: Edge



Transit Drop Test: Corner



Functional Check: A5CD24161XK



5. Functional Check: A5CD24161X9



Functional Check: A5CD24161X5

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan SGS Taiwan Ltd.

可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: 8 of 74

<u>Test Photos - - Continued:</u>





7. Functional Check: A5CD24161X8 8. Functional Check: A5CD24161XJ

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/ 新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: of 74

2. Functional Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.	
Shock Test System	LANSMONT	M95/115D	M-17656	
Data Acquisition & Analysis System	LANSMONT	TP4 8A-CH SML 1115-001	1115-001	
ICP Accelerometer	PCB	353M288	196437	

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

 $(55 \pm 20) \% RH$ Ambient humidity:

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 516.8, Procedure I, Table 516.8-IV, Terminal

peak sawtooth default test parameters and client's request

Sample condition: Operating (Under Chrome System)

Pulse shape: Sawtooth

Acceleration: 40 g

Pulse duration: 11 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes)

No. of shock: 3 shocks/ face (total 18 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic Documents at www.sgs.com.tw/Terms-and-Conditions and, for electronic Documents at <a href="https://www.sgs.com.tw/Terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions for Electronic Documents at www.wgs.com.tw/Terms-and-Conditions and, Conditions for Electronic Documents at <a href="https://www.wgs.com.tw/Terms-and-Conditions/terms-and-Conditions/ unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: HXO0026/2022

Page: 10 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	No visible damage	Normal




Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 11 of 74


Test Photos:




Functional Shock Test: +X axis




Functional Shock Test: -X axis



Functional Shock Test: +Y axis



Functional Shock Test: -Y axis



5. Functional Shock Test: +Z axis



6. Functional Shock Test: -Z axis

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

台灣檢驗科技股份有限公司

可靠度實驗室/新北市五股區新北產業園區五權路 31 號 t (886-2) 2299-3279 f (886-2) 2299-9558


www.sgs.com.tw Member of SGS Group



Report No.: HXO0026/2022

Page: 12 of 74

Test Photos--Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan SGS Taiwan Ltd. 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 13 of 74

3. Vibration Test -I:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Test System	UNHOLTZ-DICKIE	SAI60-H560BAC/2/ST	474
Controller	Dactron	LASER	7110357
Control Accelerometer	PCB	353B34	LW213529

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New **Test Location:**

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 514.8, Procedure I, Table 514.8C-I

Category 4 - Common carrier and client's request

Sample condition: Operating (Under Chrome System)

Wave form: Random

Frequency: $(5 \sim 500)$ Hz (Test Spectrums as shown in the following sheets in detail)

Direction: X, Y, Z axes **Duration:** 2 hours/axis

- Examine the appearance of specimen(s) by visual check and perform functional check during and after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 14 of 74

Test Method/ Specification--Continued:

Test Spectrums:

Vertical - Z axis		Transvers	Transverse - X axis		Longitudinal - Y axis	
Frequency	PSD	Frequency	PSD	Frequency	PSD	
(Hz)	(g^2/Hz)	(Hz)	(g^2/Hz)	(Hz)	(g^2/Hz)	
5	0.01500	5	0.00013	5	0.00650	
40	0.01500	10	0.00013	20	0.00650	
500	0.00015	20	0.00065	120	0.00020	
□ equivalent t	o 1.08 G _{rms}	30	0.00065	121	0.00300	
		78	0.00002	200	0.00300	
		79	0.00019	240	0.00150	
		120	0.00019	340	0.00003	
		500	0.00001	500	0.00015	
		equivalent to	o 0.21 G _{rms}	equivalent to	o 0.76 G _{rms}	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan



Report No.: HXO0026/2022

Page: 15 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9	No visible damage	Normal





Report No.: HXO0026/2022

Page: 16 of 74

Test Photos:



Vibration Test - I: X axis

Vibration Test - I: Y axis



Vibration Test - I: Z axis

Functional Check: A5CD24161X5



5. Functional Check: A5CD24161X9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan


可靠度實驗室/新北市五股區新北產業園區五權路 31 號 f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: 17 of 74

Test Photos -- Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 18 of 74

Test Photos--Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

SGS Taiwan Ltd.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: of 74

4. Vibration Test - II:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Tester	CHUN-YEN	CY-6120P	1999-12

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: (55 ± 20) % RH

Test Location: No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 514.8, Procedure II- Loose cargo

transportation, Figure 514.8C-8, Category 5 - Truck/trailer - loose cargo

and client's request

Sample condition: Packaged with carton

1" peak to peak orbital motion Vibration mode:

Frequency: 5 Hz

Test face: Bottom down

Duration: 20 minutes/ direction

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen and then examine whether the booting function of specimen could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.gs.com/tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if advised the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd 台灣檢驗科技股份有限公司

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 20 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan



Report No.: HXO0026/2022

Page: 21 of 74

Test Photos:



Appearance of carton

2. Vibration Test - II



Functional Check: A5CD24161X5

Functional Check: A5CD24161X9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan



Report No.: HXO0026/2022

Page: 22 of 74

5. Vibration Test -III:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Test System	UNHOLTZ-DICKIE	SAI60-H560BAC/2/ST	474
Controller	Dactron	LASER	7110357
Control Accelerometer	PCB	353B34	LW213529

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

 $(55 \pm 20) \% RH$ Ambient humidity:

No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 514.8, Procedure I, Figure 514.8E-1,

Category 24- General minimum integrity exposure and client's request

Sample condition: Operating (Under Chrome System)

Wave form: Random

Frequency: $(20 \sim 2000) \text{ Hz}$

Frequency (Hz)	Left Slope (dB/Oct.)	PSD (g ² /Hz)	Right Slope (dB/Oct.)
20	_	0.04	0
1000	0	0.04	-6
2000	-6	0.01	A-1 1
equivalen	t to 7.7 G _{rms}		

X, Y, Z axes Direction: **Duration:** 1 hour/ axis

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.gs.com/tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if advised the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. unlawful and offenders may be prosecuted to the fullest extent of the law

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 23 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9	No visible damage	Normal





Report No.: HXO0026/2022

Page: 24 of 74

Test Photos:



1. Vibration Test - III: X axis 2. Vibration Test - III: Y axis





Vibration Test - III: Z axis

Functional Check: A5CD24161X5



5. Functional Check: A5CD24161X9

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan


可靠度實驗室/新北市五股區新北產業園區五權路 31 號 f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: 25 of 74

Test Photos -- Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan



Report No.: HXO0026/2022

Page: 26 of 74

6. Blowing Dust Test:

Test Equipment:

Name	Brand	Model	Serial No.
Chamber	ACS	SD 8000 MIL	TT02038
Anemometer	INNPITRON	RG4000WS	FS22082507
Concentration meter	SICK	DHT-T00	16488579

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 510.7, Procedure I and client's request

Sample condition: Operating (Under Chrome System)

Test Temperature: (25 ± 2) °C

 $(10.6 \pm 7) \text{ g/m}^3$ Dust concentration:

Air flow velocity: 8.9 m/s which is approximately 20 mph.

Test duration: 6 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HXO0026/2022

Page: 27 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161WZ,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XH

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161WZ	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XH	No visible damage	Normal



Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 28 of 74

Test Photos:



Blowing Dust Test



Blowing Dust Test



Functional check: A5CD24161WZ, A5CD24161XH

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan



Report No.: HXO0026/2022

Page: of 74

7. Humidity Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	GIANT FORCE	GTH-800-40-CP-AR	MAA2003-006

Lab Environmental Conditions:

 (25 ± 3) °C Ambient temperature:

Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District,

New Taipei City, Taiwan

Test Method/ Specification:

Test method:

MIL-STD-810H:2019, Method 507.6, Procedure II - Aggravated Cycle

and client's request

Step	Temperature (°C)	Humidity (%RH)	Time	
1	23	50	24 hours	
2	$23 \rightarrow 60$	$50 \rightarrow 95$	2 hours	
3	60	95	6 hours	
4	$60 \rightarrow 30$	95	8 hours	
5	30	95	8 hours	
Test cycle: Total 1 cycle (Repeat Step 2 ~ Step 5 for 10 cycles)				

Test Cycle: Total 10 cycles

Sample condition: Non-Operating

- Examine the appearance of specimen(s) by visual check and perform functional check after the end of the fifth and tenth cycles test accomplished.
- Functional check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan



Report No.: HXO0026/2022

Page: 30 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X7,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XJ

Quantity: Total 2 sets

Test Result:

Style/ Item No.	Check Item	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X7	5 TH cycle	No visible damage	Normal
	10 TH cycle	No visible damage	Normal
HP ProBook 440 14 inch G10	5 TH cycle	No visible damage	Normal
Notebook PC/ A5CD24161XJ	10 TH cycle	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan



Report No.: HXO0026/2022

Page: 31 of 74

Test Photos:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan



Report No.: HXO0026/2022

Page: 32 of 74

Test Photos -- Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

SGS Taiwan Ltd.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/ 新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 33 of 74

8. Non-Operating Altitude Test:

Test Equipment:

Name	Brand	Model	Serial No.
Altitude Chamber	GIANT FORCE	GTP-1260-50-CP-AR	MAF1206-008

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 500.6, Procedure I and client's request

Sample condition: Non-Operating

25℃ Test Temperature:

Altitude: 15,000 feet

Duration: 1 hour

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 34 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan




Report No.: HXO0026/2022

Page: 35 of 74

Test Photos:







Non-Operating Altitude Test



Functional check: A5CD24161X8



Functional check: A5CD24161XK

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Tainel City. Taiwan

f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: 36 of 74

9. Operating Altitude Test:

Test Equipment:

Name	Brand	Model	Serial No.
Altitude Chamber	GIANT FORCE	GTP-1260-50-CP-AR	MAF1206-008

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

MIL-STD-810H:2019, Method 500.6, Procedure II and client's request Test method:

Sample condition: Operating (Under Chrome System)

Test Temperature: 25°C

15,000 feet Altitude:

Duration: 1 hour

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan SGS Taiwan Ltd



Report No.: HXO0026/2022

Page: 37 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK

Quantity: Total 2 sets

Test Result:


Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	No visible damage	Normal



Report No.: HXO0026/2022

Page: 38 of 74

Test Photos:





Operating Altitude Test



Functional check: A5CD24161X8

6. Functional check: A5CD24161XK

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: of 74

10. Non-Operating High Temperature Test:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	KSON	THS-D6TS-150+LN2	A0493

Lab Environmental Conditions:

Ambient temperature:

Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No. 115-1, Sanjun Street., Shulin Distict., New Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 501.7, Procedure I

(Table 501.7-III. High temperature cycles, climatic category A1 – Induced)

and client's request

Time of Day	Temperature (℃)
01:00	35
02:00	34
03:00	34
04:00	33
05:00	33
06:00	33
07:00	36
08:00	40
09:00	44
10:00	51
11:00	56
12:00	63
13:00	69
14:00	70
15:00	71
16:00	70
17:00	67
18:00	63
19:00	55
20:00	48
21:00	41
22:00	39
23:00	37
24:00	35
Test cycle: 7 cycles	

- Sample Condition: Non-Operating
- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 40 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XM,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X1

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XM	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X1	No visible damage	Normal



Report No.: HXO0026/2022

Page: 41 of 74

Test Photos:





1. Non-Operating High Temperature Test 2. Non-Operating High Temperature Test





Functional check: A5CD24161XM

4. Functional check: A5CD24161X1

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan


**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: 42 of 74

<u>Test Photos -- Continued:</u>



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: 43 of 74

11. Operating High Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature Chamber	GIANT FORCE	GTH-800-40-CP-AR	MAA2003-003

Lab Environmental Conditions:

 (25 ± 3) °C Ambient temperature:

Ambient humidity: $(55 \pm 20) \% RH$

No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District, Test Location:

New Taipei City, Taiwan.

Test Method/ Specification:

MIL-STD-810H:2019, Method 501.7, Procedure II – Operation and Test method:

client'srequest

Sample condition: Operating (Under Chrome System)

Test Temperature: 60°C

Duration: 4 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 44 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6	No visible damage	Normal



Report No.: HXO0026/2022

Page: 45 of 74

Test Photos:



Operating High Temperature Test

Operating High Temperature Test



Functional check: A5CD24161XN

Functional check: A5CD24161X6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 46 of 74

12. Non-Operating Low Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	KSON	THS-D6TS-150+LN2	A0560

Lab Environmental Conditions:

 (25 ± 3) °C Ambient temperature:

Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No. 115-1, Sanjun Street., Shulin Distict., New Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 502.7, Procedure I – Storage and client's

request

Non-Operating Sample condition:

Test Temperature: -51°C Duration: 4 hours

Examine the appearance of specimen(s) by visual check and perform functional check after this test.

Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.



Report No.: HXO0026/2022

Page: 47 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6	No visible damage	Normal



Report No.: HXO0026/2022

Page: 48 of 74

Test Photos:



1. Non-Operating Low Temperature Test Non-Operating Low Temperature Test



Functional check: A5CD24161XN

Functional check: A5CD24161X6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: of 74

13. Operating Low Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature Chamber	GIANT FORCE	GTH-800-40-CP-AR	MAA2003-003

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: (55 ± 20) % RH

No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District, **Test Location:**

New Taipei City, Taiwan.

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 502.7, Procedure II – Operation and client's

request

Sample condition: Operating (Under Chrome System)

Test Temperature: -29°C **Duration:** 4 hours

Examine the appearance of specimen(s) by visual check and perform functional after this test.

Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.



Report No.: HXO0026/2022

Page: 50 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XN	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X6	No visible damage	Normal



Report No.: HXO0026/2022

Page: 51 of 74

Test Photos:



Operating Low Temperature Test

Operating Low Temperature Test



Functional check: A5CD24161XN

Functional check: A5CD24161X6

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 52 of 74

14. Thermal Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.
Thermal Shock Chamber	GIANT FORCE	GTST-252-65-AW-2	MAI2001-001

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: (55 ± 20) % RH


No. 115-1, Sanjun Street., Shulin Distict., New Taipei City, Taiwan Test Location:

Test Method/ Specification:

Test method:

MIL-STD-810H:2019, Method 503.7, Procedure I-C and client's request

Temperature (°C)



- The temperature transition time shall be within 1 minute.
- Sample condition: Non-Operating
- Examine the appearance of specimen(s) by visual check and perform functional after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.gs.com/tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.gs.com/ten/terms-and-Conditions and, for electronic format document, Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document its advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if advised the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

unlawful and offenders may be prosecuted to the fullest extent of the law



Report No.: HXO0026/2022

Page: 53 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XM,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X1

Quantity: Total 2 sets

Test Result:


Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XM	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X1	No visible damage	Normal



Report No.: HXO0026/2022

Page: 54 of 74

Test Photos:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W

Functional check: A5CD24161XM


Functional check: A5CD24161X1



Report No.: HXO0026/2022

Page: 55 of 74

Test Photos -- Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: 56 of 74

15. Blowing Sand Test:

Test Equipment:

Name	Brand	Model	Serial No.
Chamber	ACS	SD 8000 MIL	TT02038
Anemometer	INNPITRON	RG4000WS	FS22082507
Concentration meter	SICK	DHT-T00	16488579

Lab Environmental Conditions:

Ambient temperature: (25 ± 3) °C

Ambient humidity: $(55 \pm 20) \% RH$

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 510.7, Procedure II and client's request

Sample condition: Operating (Under Chrome System)

Test Temperature: 60°C 2.4 g/m^3 Dust concentration:

Air flow velocity: 20 m/s which is approximately 40 mph.

Test direction: Front 0° Left side 90° Back side 180° Right side 270°

Test duration: 90 minutes / direction, total 360 minutes

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.



Report No.: HXO0026/2022

Page: 57 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XF,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XD

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XF	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XD	No visible damage	Normal






Report No.: HXO0026/2022

Page: 58 of 74


Test Photos:



Blowing Sand Test (Front side 0°)



Blowing Sand Test (Left side 90°)



Blowing Sand Test (Back side 180°)



Blowing Sand Test (Right side 270°)



5. Functional check: A5CD24161XF, A5CD24161XD

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

可靠度實驗室/新北市五股區新北產業園區五權路 31 號

f (886-2) 2299-9558



Report No.: HXO0026/2022

Page: of 74

16. Freeze/ Thaw Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	GIANT FORCE	GTH-800-40-CP-AR	MAA2003-007
Programmable Temperature & Humidity Chamber	GIANT FORCE	GTH-800-40-CP-AR	MAA2003-002

Lab Environmental Conditions:

Ambient temperature:

Ambient humidity:

No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District, Test Location:

New Taipei City, Taiwan.

Test Method/ Specification:

MIL-STD-810H:2019, Method 524.1, Procedure III and client's request Test method:

Step	Temperature (℃)	Humidity (%RH)	Time (minutes)		
1	25	95	120		
2	25→-10	95→-	<5		
3	-10	-	120*		
4	-10→25	-→95	<5		
5	25	95	120		
6	-10→25	-→95	<5		
7	-10	_	120*		
8	-10→25	-→95	<5		
9	25	95	120		
10	25→-10	95→-	<5		
11	-10	_	120*		
12	-10→25	95→55	_*		
Test cycles: Total 1 cycle.					
Note: * Perform functional check at the end of step 3, step 7, step 11 and after test.					

- Sample condition: Non-Operating
- Examine the appearance of specimen(s) by visual check and perform functional after this test.
- Functional Check: Turn on the power of specimen(s) then examine whether the booting function of specimen(s) could be work normally or not.



Report No.: HXO0026/2022

Page: 60 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK

Quantity: Total 2 sets

Test Result:


Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	No visible damage	Normal



Report No.: HXO0026/2022

Page: 61 of 74

Test Photos:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: 62 of 74

17. Bench Handling Test:

Test Equipment:

Name	Brand	Model	Serial No.
Measuring Tape	HOL	Y5525-CB	001

Lab Environmental Conditions:

(25 ± 3) °C Ambient temperature:

Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No.17, Wu Chyuan 8th Road, New Taipei Industrial Park, WuKu District,

New Taipei City, Taiwan.

Test Method/ Specification:

MIL-STD-810H:2019, Method 516.8, Procedure VI and client's request Test Method:

Sample Condition: **Operating**

The lifted edge of the chassis has been raised 100 mm (4 in) above the Drop Height:

horizontal bench top.

Test face: Top down, Bottom down

Test cycles: Total 8 drops (each edge 1 drop)

Test surface: 2 inches of plywood

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen and then examine whether the booting function of specimen could be work normally or not.



Report No.: HXO0026/2022

Page: 63 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X7,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XJ

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X7	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XJ	No visible damage	Normal



Report No.: HXO0026/2022

Page: 64 of 74

Test Photos:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan SGS Taiwan Ltd.

可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 65 of 74

Test Photos--Continued:





8. Bench Handling Test



Functional check: A5CD24161X7

Functional check: A5CD24161XJ

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W



Report No.: HXO0026/2022

Page: 66 of 74

18. Crash Hazard Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.
Shock Test System	LANSMONT	95-115D	M17656
Data Acquisition & Analysis System	LANSMONT	TP4 8A-CH SML 1115-001	1115-001
ICP Accelerometer	PCB	353M288	196437

Lab Environmental Conditions:

Ambient temperature: $(25 \pm 3) \, ^{\circ}\text{C}$ $(55 \pm 20) \% RH$ Ambient humidity:

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New **Test Location:**

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 516.8, Procedure V and client's request

Sample condition: Non-Operating

Pulse shape: Sawtooth

Acceleration: 75 g

Pulse duration: 6 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes)

No. of shock: 2 shocks/ face (total 12 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen and then examine whether the booting function of specimen could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 67 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X8	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161XK	No visible damage	Normal



Report No.: HXO0026/2022

Page: 68 of 74

Test Photos:



Crash Hazard Shock Test: +X axis



Crash Hazard Shock Test: -X axis



Crash Hazard Shock Test: +Y axis



Crash Hazard Shock Test: -Y axis



5. Crash Hazard Shock Test: +Z axis



Crash Hazard Shock Test: -Z axis 6.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan


Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 69 of 74

Test Photos--Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Shock pulse response for Crash Hazard Shock: ±X, ±Y, ±Z axis



Report No.: HXO0026/2022

Page: 70 of 74

19. Transportation Shock Test:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Test System	UNHOLTZ-DICKIE	SAI60-H560BAC/2/ST	474
Controller	Dactron	LASER	7110357
Control Accelerometer	PCB	353B34	LW213529

Lab Environmental Conditions:

(25 ± 3) °C Ambient temperature: Ambient humidity: $(55 \pm 20) \% RH$

Test Location: No.31, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New

Taipei City, Taiwan

Test Method/ Specification:

Test method: MIL-STD-810H:2019, Method 516.8, Procedure II, Table 516.8-VII and

client's request

Sample condition: Packaged Pulse shape: Sawtooth

Acceleration (g)	Number of Shocks
5.1	42
6.4	21
7.6	3

Pulse duration: 11 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen and then examine whether the booting function of specimen could be work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HXO0026/2022

Page: 71 of 74

Specimen:

Style/ Item No.: HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5,

HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9

Quantity: Total 2 sets

Test Result:

Check Item Style/ Item No.	Appearance Check (Visual check)	Functional Check
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X5	No visible damage	Normal
HP ProBook 440 14 inch G10 Notebook PC/ A5CD24161X9	No visible damage	Normal



Report No.: HXO0026/2022

Page: 72 of 74

Test Photos:



Appearance of carton



Transportation Shock Test: ±X axis



Transportation Shock Test: ±Y axis



Transportation Shock Test: ±Z axis



Functional Check: A5CD24161X5 5.



Functional Check: A5CD24161X9 6.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity aboratory! No 31 Wit Charactery! Park With District Mean Taine! City Taiwan

**Polishibity aboratory! No 31 Wit Charactery! No 31 Wit Charactery! No 31 With Charactery! No 31 W


Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/新北市五股區新北產業園區五權路 31 號



Report No.: HXO0026/2022

Page: 73 of 74

Test Photos--Continued:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

Shock pulse response for Transportation Shock Test: 6.4g 11ms


8.



Report No.: HXO0026/2022

Page: 74 of 74

Test Photos--Continued:



The End of Test Report — —

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park Wikity District, New Tainel City, Taiwan

SGS Taiwan Ltd

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan